



## Smalrolux Odor Free Thinner



Packaging: 750ml

### GENERAL CHARACTERISTICS

SMALTOLUX Odorless thinner is a mixture of aliphatic hydrocarbons with a high flash point. This property makes it the ideal solvent for odorless colors.

### TECHNICAL CHARACTERISTICS

| Quality                            | Method              | Result               |
|------------------------------------|---------------------|----------------------|
| Distillation<br>Region<br>IBP / DP | ASTM D1078          | 172°C<br>190°C       |
| Density in 15 °C                   | ASTM D1298          | 0.74 - 0.76 Kg/lt    |
| Inflammation<br>Point Abel<br>PMCC | IP 1070<br>ASTM D93 | 44                   |
| Viscosity at 25°C                  | ASTM D445           | 1.62 mm <sup>2</sup> |
| Color                              | Saybolt<br>Scale    | +30                  |
| Refraction 25 °C                   | ASTM D1228          | 1.42                 |
| Benzene                            | ASTM D445           | <100 mg/kg           |
| Total<br>Aromatic<br>substances    | ASTM D1319          | <0.5% per volume     |



## SAFETY INSTRUCTIONS

- Keep out of the reach of children.
- If swallowed, seek medical advice immediately and show this container or label.
- Avoid contact with skin.
- If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
- Wear suitable protective clothing and gloves.
- Keep away from sources of ignition- No smoking.
- Don't empty into drains.

## RISK PHRASES

- Irritating to eyes to eyes and skin.
- Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- Possible risk of harm to the unborn child.
- Harmful: May cause lung damage if swallowed.
- Vapors may cause drowsiness and dizziness.

## LABELLING

For more information please ask for the product's Safety Data Sheet (MSDS).

## SAFETY

Keep out of the reach of children.



The technical data and instructions included in this technical leaflet are based on audits of confidential laboratories and result of the knowledge and experience of the company's scientific staff. The quality of the product is guaranteed by the company, which is aligned with the requirements of ISO 9001, 14001 and EMAS. As a producer, we are not responsible for any damage or damage caused if the product has not been used for proper application and in accordance with its instructions for use.